

## EAST Search History

| Ref # | Hits  | Search Query  | DBs   | Default Operator | Plurals | Time Stamp          |
|-------|-------|---|---|------------------|---------|---------------------|
| S1    | 0     | (determin\$3<br>determination) WITH<br>(time) WITH (corruption)<br>SAME (backup snapshot) | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2008/04/16<br>20:05 |
| S2    | 114   | (determin\$3<br>determination) WITH<br>(time) WITH (corruption)                           | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2008/04/16<br>22:24 |
| S3    | 2704  | (711/161,162).CCLS.   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2008/04/16<br>22:25 |
| S4    | 7     | S2 AND S3   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2008/04/16<br>22:25 |
| S5    | 10520 | (714/25-46).CCLS.   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2008/04/16<br>22:44 |
| S6    | 3588  | (714/25,37,41,42).CCLS.   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2008/04/16<br>22:47 |
| S7    | 5     | S2 AND S6   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2008/04/16<br>22:48 |

|     |          |   |   |    |     |                     |
|-----|----------|---|---|----|-----|---------------------|
| S8  | 10527548 | (compare compares<br>comparing compared<br>comparison match\$3<br>identify identifies identified<br>identifying locate located<br>locating locates trace<br>traces traced tracing track<br>\$3 find finds found finding<br>determin\$3 pinpoint\$3 pin-<br>point\$3 (pin ADJ point\$3)) | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2008/05/05<br>18:17 |
| S9  | 841329   | (snapshot "snap shot"<br>snap-shot backup back-up<br>"back up" replica<br>replication (time NEAR5<br>(store stored storing<br>stores)) (image NEAR5<br>(version generation)))   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2008/05/05<br>18:19 |
| S10 | 4052129  | (error defect defective<br>fault corrupt\$3 bug<br>mistake inaccuracy<br>inaccurate flaw<br>imperfection damage<br>damaged altered altered)   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2008/05/05<br>18:23 |
| S11 | 6021     | S8 WITH S9 WITH S10   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2008/05/05<br>18:23 |
| S12 | 44129    | ("711").CLAS.   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2008/05/05<br>18:24 |
| S13 | 76499    | ("714").CLAS.   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2008/05/05<br>18:24 |
| S14 | 274      | S11 AND S12   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2008/05/05<br>18:24 |
| S15 | 926      | S11 AND S13   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2008/05/05<br>18:24 |

|     |         |   |   |    |     |                     |
|-----|---------|---|---|----|-----|---------------------|
| S16 | 141     | S11 AND S12 AND S13   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2008/05/05<br>18:24 |
| S17 | 3178    | (711/154).CCLS.   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2008/05/05<br>18:25 |
| S18 | 2736    | (711/161,162).CCLS.   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2008/05/05<br>18:25 |
| S19 | 10569   | (714/25-46).CCLS.   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2008/05/05<br>18:25 |
| S20 | 3606    | (714/25,37,41,42).CCLS.   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2008/05/05<br>18:25 |
| S21 | 121     | S11 AND (S17 S18)   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2008/05/05<br>18:25 |
| S22 | 153     | S11 AND (S19 S20)   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2008/05/05<br>18:25 |
| S23 | 1       | S21 AND S22   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2008/05/05<br>18:26 |
| S24 | 4555643 | (error defect defective<br>fault corrupt\$3 bug<br>mistake inaccuracy<br>inaccurate flaw<br>imperfection damage<br>damaged altered altered<br>failed failure) | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2008/05/05<br>18:35 |

|     |        |   |   |    |     |                     |
|-----|--------|---|---|----|-----|---------------------|
| S25 | 131813 | (identify identifies<br>identified identifying locate<br>located locating locates<br>trace traces traced tracing<br>track\$3 find finds found<br>finding determin\$3 pinpoint<br>\$3 pin-point\$3 (pin ADJ<br>point\$3)) WITH (occur\$5<br>time "when" happen\$4)<br>WITH S24 | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2008/05/05<br>18:38 |
| S26 | 72084  | S8 NEAR5 S9   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2008/05/05<br>18:39 |
| S27 | 1519   | S26 SAME S25  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2008/05/05<br>18:40 |
| S28 | 1273   | S26 WITH S25  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2008/05/05<br>18:40 |
| S29 | 71     | S27 AND S12   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2008/05/05<br>18:40 |
| S30 | 285    | S27 AND S13   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2008/05/05<br>18:40 |
| S31 | 41     | S27 AND S12 AND S13   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2008/05/05<br>18:40 |
| S32 | 1      | "20050063374"   | US-PGPUB  | OR | ON  | 2008/09/08<br>04:20 |

|     |     |   |   |    |    |                     |
|-----|-----|---|---|----|----|---------------------|
| S33 | 9   | ((successive\$2) WITH<br>(compare compares<br>comparing compared<br>comparison match\$3)<br>WITH (backup back-up<br>"backed up" snapshot snap-<br>shot ((time point) NEAR3<br>(image)))) SAME ((identify<br>identifies identified<br>identifying locate located<br>locating locates trace<br>traces traced tracing track<br>\$3 find finds found finding<br>determin\$3 pinpoint\$3 pin-<br>point\$3 (pin ADJ point\$3))<br>WITH (error defect<br>defective fault corrupt\$3<br>bug mistake inaccuracy<br>inaccurate flaw<br>imperfection damage<br>damaged altered altered)) | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/08<br>12:41 |
| S34 | 527 | ((compare compares<br>comparing compared<br>comparison match\$3)<br>WITH (backup back-up<br>"backed up" snapshot snap-<br>shot ((time point) NEAR3<br>(image)))) SAME ((identify<br>identifies identified<br>identifying locate located<br>locating locates trace<br>traces traced tracing track<br>\$3 find finds found finding<br>determin\$3 pinpoint\$3 pin-<br>point\$3 (pin ADJ point\$3))<br>WITH (error defect<br>defective fault corrupt\$3<br>bug mistake inaccuracy<br>inaccurate flaw<br>imperfection damage<br>damaged altered altered))                         | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/08<br>12:42 |
| S35 | 1   | S34 AND (711/161,163).<br>CCLS.   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/08<br>12:43 |

|     |       |   |   |    |    |                     |
|-----|-------|---|---|----|----|---------------------|
| S36 | 16028 | (determin\$3 determination<br>identify identifies identified<br>identifying locate located<br>locating locates trace<br>traces traced tracing track<br>\$3 find finds found finding<br>determin\$3 pinpoint\$3 pin-<br>point\$3 (pin ADJ point\$3))<br>WITH (point time) WITH<br>(error defect defective<br>fault corrupt\$3 bug<br>mistake inaccuracy<br>inaccurate flaw<br>imperfection damage<br>damaged altered altered<br>tamper\$3) AND (backup<br>back-up "backed up"<br>snapshot snap-shot ((time<br>point) NEAR3 (image))) | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/08<br>12:47 |
| S37 | 39    | S36 AND (711/161,163).<br>CCLS.   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/08<br>12:48 |
| S38 | 31295 | (first 1st) NEAR5 (backup<br>back-up "backed up"<br>snapshot snap-shot ((time<br>point) NEAR3 (image)))   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/08<br>12:52 |
| S39 | 36395 | (second 2nd secondary)<br>NEAR5 (backup back-up<br>"backed up" snapshot snap-<br>shot ((time point) NEAR3<br>(image)))  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/08<br>12:52 |
| S40 | 909   | (determin\$3 determination<br>identify identifies identified<br>identifying locate located<br>locating locates trace<br>traces traced tracing track<br>\$3 find finds found finding<br>determin\$3 pinpoint\$3 pin-<br>point\$3 (pin ADJ point\$3))<br>WITH (point time) WITH<br>(error defect defective<br>fault corrupt\$3 bug<br>mistake inaccuracy<br>inaccurate flaw<br>imperfection damage<br>damaged altered altered<br>tamper\$3) AND S38 AND<br>S39  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/08<br>12:53 |

|     |    |  |   |    |    |                     |
|-----|----|--|---|----|----|---------------------|
| S41 | 72 | (determin\$3 determination<br>identify identifies identified<br>identifying locate located<br>locating locates trace<br>traces traced tracing track<br>\$3 find finds found finding<br>determin\$3 pinpoint\$3 pin-<br>point\$3 (pin ADJ point\$3))<br>WITH (point time) WITH<br>(error defect defective<br>fault corrupt\$3 bug<br>mistake inaccuracy<br>inaccurate flaw<br>imperfection damage<br>damaged altered altered<br>tamper\$3) SAME S38<br>SAME S39 | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/08<br>12:53 |
| S42 | 0  | S41 AND ("711"/).CCLS.   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/08<br>12:54 |
| S43 | 89 | S40 AND ("711"/).CCLS.   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/08<br>12:54 |

9/9/2008 3:23:51 PM

C:\Documents and Settings\sgu\My Documents\EAST\Workspaces\10799428 Method for  
Identifying the Time At Which Data Was Written To A Data Store.wsp